






 Lightcore

TRACKCORE

Magnetic Tracking System

01



LC05 TRACK SYSTEM



LC05 SKYLINE




The **LC05 Track System** is meticulously engineered to elegantly trace curves, corners, and clean lines, delivering a seamless sense of flow and exceptional versatility in artistic lighting design. Whether enhancing the ambiance of a home or elevating the functionality of a workspace, this flexible system unlocks endless creative possibilities, allowing light to become a true architectural feature.

Meter	>CRI	Voltage	Product Size	CCT
3m	Ra90	24V	11.5 x 7.5 x 3000	3000K
5m	Ra90	24V	11.5 x 7.5 x 5000	3000K
7m	Ra90	24V	11.5 x 7.5 x 7000	3000K





LC05-RSS

Model	Material	Colour	Product Size
LC05-RSS	Aluminium	Black	1000*11*15mm 2000*11*15mm 3000*11*15mm



LC05-SSS

Model	Material	Colour	Product Size
LC05-SSS	Aluminium	Black	1000*13*26.8mm 2000*13*26.8mm 3000*13*26.8mm



LC05-DSS

Model	Material	Colour	Product Size
LC05-DS	Aluminium	Black	1000*35*15mm 2000*35*15mm 3000*35*15mm





Spot Light


NEW

CRI > 90
R9 > 50

Risk0

850°

IP20



Model	Power	Voltage	CCT	Beam Angle	Product Size
LC05-SP10	1W	DC24V	3000K	24° 36°	∅ 14*L55*85mm
LC05-SP20	3W	DC24V	3000K	24° 36°	∅ 22*L48*85mm
LC05-SP30	5W	DC24V	3000K	24° 36°	∅ 32*L60*85mm
LC05-SP40	10W	DC24V	3000K	24° 36°	∅ 40*L90*85mm
LC05-SP42	10W	DC24V	3000K	24° 36°	∅ 42*L90*85mm

Linear Light


NEW

CRI > 90
R9 > 50

Risk0

850°

IP20



Model	Power	Voltage	CCT	Beam Angle	Product Size
LC05-FG300	4W	DC24V	3000K	110°	LC300*W5.2*H12mm
LC05-FG600	8W	DC24V	3000K	110°	LC600*W5.2*H12mm
LC05-FG900	12W	DC24V	3000K	110°	LC900*W5.2*H12mm



Anti-Glare Grille Light

NEW

CRI > 90
R9 > 50

Risk0

850°

IP20



Model	Power	Voltage	CCT	Beam Angle	Product Size
LC05-GS400	10W	DC24V	3000K	24° 36° 50°	LC400*W5.2*H27mm



Disk Round


NEW

CRI > 90
R9 > 50

Risk0

850°

IP20



Model	Power	Voltage	CCT	Beam Angle	Product Size
LC05-BG06	7W	DC24V	3000K	120°	∅ 190



Pendant Lamp


NEW

CRI > 90
R9 > 50


Risk0

850°

IP20






Model	Power	Voltage	CCT	Beam Angle	Product Size
LC05-DD24	10W	DC24V	3000K	24° 36°	∅ 24*420mm




02

LC10 TRACK SYSTEM

The **LC10 Track System** is designed with a thinner and narrower profile, ensuring seamless integration into any environment. Its refined proportions allow for better space collocation, enhancing the overall layout without compromising aesthetics. By maintaining a discreet presence, the TC10 does not interfere with the beauty of its surroundings but instead complements and preserves the elegance of the space.




Model	LC10-SL42
Power	3 / 5 / 7W
Voltage	DC24V
CCT	2700K / 3000K / 4000K
Beam Angle	24° / 36°




Model	LC10-DL42
Power	7W
Voltage	DC24V
CCT	2700K / 3000K / 4000K
Beam Angle	24° / 36°

Spot Light

Direct Spot Light




Linear Light



Model	LC10-FG36
Power	5 / 10 / 15W
Voltage	DC24V
CCT	2700K / 3000K / 4000K
Beam Angle	110°




Globe Light




Model	LC10-BL70
Power	3W
Voltage	DC24V
CCT	2700K / 3000K / 4000K
Beam Angle	80°




03 LC19 TRACK SYSTEM




The **LC19 Track System** is the premium Trackcore option, running on 48V to power stronger luminaires. With a 13.5mm profile and flexible mounting options, it delivers high performance and elegance, seamlessly fitting into commercial and architectural spaces.






Spot Light



Model	LC19-SP30
Power	3 / 5 / 7 / 10W
Voltage	DC48V
CCT	2700K / 3000K / 4000K
Beam Angle	24° / 36°




Anti-Glare Grille Light



Model	LC19-CG06/12
Power	6 / 12W
Voltage	DC48V
CCT	2700K / 3000K / 4000K
Beam Angle	36° / 45°




Linear Light



Model	LC19-FL60
Power	6 / 12W
Voltage	DC48V
CCT	2700K / 3000K / 4000K
Beam Angle	110°



Globe Light



Model	LC19-LG80
Power	3W
Voltage	DC48V
CCT	2700K / 3000K / 4000K
Beam Angle	80°



TRACKCORE

Magnetic Tracking System by  Lightcore

CONTACT US:

E: hello@lightcore.com.au

T: 1300652719

W: www.lightcore.com.au

SOCIALS: [@lightcore_lighting](https://www.instagram.com/lightcore_lighting)